

# **TSEC**

since 1976

Gratitude Innovation

# 2023 COLLECTION

Zhejiang Tiansheng Electronic Co., Ltd.

**PROFESSIONAL ELECTRONIC SCALE MANUFACTURER**

Add: No.176 Xianglong Street, Nanmingshan Street, Liandu District, Lishui City, Zhejiang Province, China

Tel: (86) 571-8262-0883

Email: [kristina@yktianshengscale.com](mailto:kristina@yktianshengscale.com)

[www.scalesupplier.com](http://www.scalesupplier.com)

B2B website:

<https://zjtiansheng.en.alibaba.com>

<https://zheben.en.alibaba.com/>

**[www.scalesupplier.com](http://www.scalesupplier.com)**

# COMPANY PROFILE

**TSEC**  
since 1976

- Automatic Equipment
- Perfect Management System
- Multiple Production Lines
- 8 Quality Tests
- 9 Product Customization



## Zhejiang Tiansheng Electronic Co., Ltd. PROFESSIONAL ELECTRONIC SCALE MANUFACTURER

TSEC factory covers **40,000 m<sup>2</sup>** (430,556 ft<sup>2</sup>) and has hundreds of workers, equipped with brand new quality inspection machinery and production equipment. Material workshop, production workshop, finished products workshop and other areas.

TSEC factory has fully automatic assembly lines, each machine can produce more than **20,000** products per day. From accessories to finished products. Fully automated production, product production quality and quality control have reached the first-class level.



# TSEC

since 1976

PROFESSIONAL ELECTRONIC SCALE MANUFACTURER

# TSEC

since 1976

- Smart /Body Scale  
page 1~26
- Kitchen Scale  
page 27~40
- Pocket Scale  
page 41~46
- Baby Scale  
page 47~50
- Luggage Scale  
page 51~56

## BODY SMART/BODY FAT SCALE

With the continuous progress of human society, various chronic diseases are also increasing. Health will become the basic goal of people in the new century, and the pursuit of health becomes the fashion of all people.

Our smart body fat scale can detect 19 health data of the human body and make basic analysis to make sound recommendations to promote the improvement of your health, some important ones include: testing heart rate, muscle and fat content and bone content. More interesting is the one-click link APP, you can bind the information of your family and friends to observe and understand their physical condition at any time. It can be said to be a new product of the new era, widely welcomed by the public.



## Smart Body Scale



### TS-BF8072

Test 18 body data  
Max 8 users  
Capacity: 3-180kg / 6.6-396lbs  
Division: 0.1kg/0.2lb  
LED display  
Color Box: 353x335x38mm  
Power: 3xAAA batteries  
Unit: KG/LB  
Dimension: 300x300x25mm\*R45  
N.W: 19KG G.W: 16.8KG

### Basic color selection



### Electrode sheet selection







**TS-FL561**

Test 18 body data  
 Max 8 users  
 Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.1kg/0.2lb  
 LCD display or LED display  
 Color Box: 322x315x38mm  
 Power: 2xAAA batteries  
 Unit: KG/LB/ST  
 Dimension: 280x280x20mm\*R35  
 N.W: 15.5KG G.W: 16.5KG



**TS-FL755**

Test 18 body data  
 Max 8 users  
 Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.1kg/0.2lb  
 LED display  
 Color Box: 322x315x38mm  
 Power: 3xAAA batteries  
 Unit: KG/LB  
 Dimension: 280x280x20mm\*R35  
 N.W: 15.5KG G.W: 16.5KG



**TS-BF8028**

Test 18 body data  
 Max 8 users  
 Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.1kg/0.2lb  
 LCD display or LED display  
 Color Box: 322x315x38mm  
 Power: 2xAAA batteries  
 Unit: KG/LB/ST  
 Dimension: 280x280x25mm\*R25  
 N.W: 15.5KG G.W: 16.5KG



**TS-BF8014**

Test 18 body data  
 Max 8 users  
 Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.1kg/0.2lb  
 LED display

Color Box: 353x335x38mm  
 Power: 4xAAA batteries  
 Unit: KG/LB/ST  
 Dimension: 300x300x25mm\*R35  
 N.W: 19KG G.W: 21KG

**TS-BF8011**

Test 18 body data  
 Max 8 users  
 Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.1kg/0.2lb  
 LCD display  
 Color Box: 353x335x38mm  
 Power: 4xAAA batteries  
 Unit: KG/LB/ST  
 Dimension: 300x300x25mm\*R35  
 N.W: 19KG G.W: 21KG





**HOT**

**TS-BF8066 ELECTRODE SHEET**

Test 18 body data  
 Max 8 users  
 Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.1kg/0.2lb  
 LED display

Color Box: 322x315x38mm  
 Power: 3xAAA batteries  
 Unit: KG/LB  
 Dimension: 260x260x25mm\*R35  
 N.W: 10.5KG G.W: 12.5KG


**TS-BF8066 ITO**

Test 18 body data  
 Max 8 users  
 Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.1kg/0.2lb  
 LED display  
 Color Box: 322x315x38mm  
 Power: 3xAAA batteries  
 Unit: KG/LB  
 Dimension: 260x260x25mm\*R35  
 N.W: 10.5KG G.W: 12.5KG



**TS-BF8076 ITO**

Test 18 body data  
 Max 8 users  
 Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.1kg/0.2lb  
 LED display  
 Color Box: 353x335x38mm  
 Power: 4xAAA batteries  
 Unit: KG/LB/ST  
 Dimension: 300x300x25mm\*R35  
 N.W: 19KG G.W: 21KG




NEW

## Test 29 body data

Bluetooth and WiFi  
dual connection

Leaone APP



## TS-FL762 EIGHT ELECTRODE

- Test 29 body data
- Max 8 users
- Capacity: 3-180kg / 6.6-396lbs
- Division: 0.05kg/0.1lb
- LED display
- Color Box: 385x370x38mm
- Power: 4xAAA battery
- Unit: KG/LB
- Dimension: 320x360x20mm\*R35
- N.W: 19.5KG G.W: 21.5KG



2023-03-04 18:29

65.5kg	20.2	27.1%
Body weight	BMI	Body fat percentage
68.7%	49.9%	2.8kg
Muscle rate	Moisture	Bone mass
1307.0Kcal	14.7%	24
Basal metabolic rate	Protein rate	Body age
3.0	26.0%	66.0kg
Visceral fat index	Subcutaneous fat	Standard weight
-0.5kg	15.5kg	50.0kg
Weight control	Fat mass	Lean body mass
41.1kg	9.6kg	Standard
Muscle mass	Protein amount	Obesity rating
6.1		
Limb muscle index		

All values are obtained through the impedance of the human body in combination with the composition of the basic parameters of the human body. These data are only informative for control and long-term monitoring of the condition, not as a basis for any medical conclusions.

- Measuring
- Recording
- Set up






NEW

## Test 29 body data

Bluetooth and WiFi  
dual connection

Leaone APP



### TS-FL765

Test 29 body data  
Max 8 users  
Capacity: 3-180kg / 6.6-396lbs  
Division: 0.05kg/0.1lb  
LED display  
Color Box: 385x370x38mm  
Power: 4xAAA battery  
Unit: KG/LB  
Dimension: 320x360x30mm\*R35  
N.W: 19.5KG G.W: 21.5KG



### TS-BF8035

Test 29 body data  
Max 8 users  
Capacity: 5-180kg  
Division: 0.14kg/0.2lb  
LED display  
Color Box: 330x337x50mm  
Power: 3xAAA battery  
Unit: KG/LB  
Dimension: 300x0260x24mm\*R35  
N.W: 17KG G.W: 19KG





HOT



**TS-FL549**

Test 18 body data  
 Max 8 users  
 Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.05kg/0.1lb  
 LCD display  
 Color Box: 285x290x33mm  
 Power: 2xAAA batteries  
 Unit: KG/LB/ST  
 Temperature and battery capacity  
 Dimension: 280x280x25mm\*R10  
 N.W: 13.5KG G.W: 14.5KG



Heart rate



Color Screen

**TS-FL565 LARGE SCREEN SCALE**

Test 19 body data  
 Max 8 users  
 Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.05kg/0.1lb  
 LCD display size: 70x90mm  
 Color Box: 322x315x38mm  
 Power: 3xAAA batteries  
 Unit: KG/LB/ST  
 Dimension: 280x280x25mm\*R35  
 N.W: 16KG G.W: 17KG



# LEAONE APP



Max 8 users

## INSTALL THE LEAONE APP




- 1 Scan the QR Code or download the Leaone app from the Apple Store or Google Play.
- 2 Download and install the Leaone app on your device.
- 3 The App icon will appear on your phone or tablet after the installation is completed.

## INSTRUCTIONS FOR USE

- 1 Open the Leaone app on your device.
- 2 Register your account by email or login with social media account.
- 3 Add your personal data and confirm.

## TEST 19 BODY DATA



## LEAONE APP SUPPORTS MULTI-SMART ITEMS IN ONE

Body fat scale (Bluetooth)	Body fat scale (WiFi + Ble)	Eight-electrode body fat scale (Bluetooth)	Blood Pressure Monitor (Bluetooth)	Blood Pressure Monitor (WiFi)	Thermometer (Bluetooth)
Baby scale (Bluetooth)	Baby scale (WiFi)	Height Meter	Blood glucose meter (Bluetooth)	Oximeter (Bluetooth)	Smart rope skipping (Bluetooth)
Sports watch	Smart toothbrush (Bluetooth)	Smart toothbrush (WiFi + Ble)	Motorcycle tire pressure	Tricycle tire pressure	Four tire pressure
咖啡秤 (Bluetooth)	Smart heart rate belt	Nutrition Scale (Bluetooth)	Multiple tire	Solar tire	Hygrothermogr

**TS-BHW01**

Weight measurement range: 0.2-203kg Scale value: 50g  
 Height range: 83-209cm Index value: 0.1cm  
 Unit: kg / pound  
 Switching mode: 5kg or more gravity on/key on  
 Automatic shutdown / Key long press to close into.  
 LED display: 85.5 \* 41mm white light  
 Power supply: built-in 1500 mA lithium battery, type-C charging interface



**TS-D631**

LCD display  
 Division: 0.5cm  
 Capacity: 30-200cm  
 Unit: cm  
 Power: USB charging  
 Buzzer reminder  
 Single button control  
 Measurement error: ±1cm



**EUROPEAN DESIGNER**

Giving you more choices





## BMI Body Scale



### TS-F1302

Test 6 body data  
 Max 10 users  
 Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.1kg/0.2lb  
 LCD display

Color Box: 353x335x38mm  
 Power: 2xAAA batteries  
 Unit : KG/LB/ST  
 Dimension: 300x300/280x280x25mm\*R3  
 N.W: 15.5KG G.W: 16.5KG



### TS-F1305

Test 6 body data  
 Max 10 users  
 Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.1kg/0.2lb  
 LCD display  
 Color Box: 322x315x38mm  
 Power: 2xAAA batteries  
 Unit: KG/LB/ST  
 Dimension: 280x280/300x300  
 x25mm\*R25  
 N.W: 15.5KG G.W: 16.5KG


## BMI Body Scale



### TS-F1303 BMI

Test 6 body data  
 Max 10 users  
 Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.1kg/0.2lb  
 LCD display  
 Color Box: 322x315x38mm  
 Power: 2xAAA batteries  
 Unit: KG/LB/ST  
 Dimension: 280x280x25mm\*R3  
 N.W: 15.5KG G.W: 16.5KG

### FOUR COLOR DISPLAYS AND CORRESPONDING BMI INTERVALS





FOR OBESE PEOPLE



TS-B556

Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.1kg/0.2lb  
 LCD display  
 Color Box: 350x355x60mm  
 Power: 4xAAA batteries  
 Unit: KG/LB  
 Dimension: 300x300x25mm\*R25  
 N.W: 17KG G.W: 18KG

TS-B8042

Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.1kg/0.2lb  
 LCD display size: 70x33mm  
 Color Box: 300x289x51mm  
 Power: battery free  
 Unit: KG  
 Dimension: 280x280x25mm\*R35  
 N.W: 17KG G.W: 19KG



POWER GENERATION SCALE

PRESS TO CHARGE

Charge it at any time without fear of running out of power. Green environmental protection electronic scale.



**ANTI-SLIP SCALE**



**TS-B8076**

Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.1kg/0.2lb  
 LCD display size: 71x34mm  
 Color Box: 310x305x33mm  
 Power: 2xCR2032 batteries  
 Unit: KG/LB/ST  
 Dimension: 300x300x25mm\*R3  
 N.W: 17KG G.W: 18KG



**TS-B8012 LCD**

Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.1kg/0.2lb  
 LCD display size: 73x28.5mm  
 Color Box: 322x315x38mm  
 Power: 2xAAA batteries  
 Unit: KG/LB/ST  
 Dimension: 280x280/300x300x25mm\*R3  
 N.W: 16KG G.W: 17KG



**TS-B8045 LED**

Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.1kg/0.2lb  
 LCD display size: 73x28.5mm  
 Color Box: 322x315x38mm  
 Power: 2xAAA batteries  
 Unit: KG/LB/ST  
 Dimension: 280x280/300x300x25mm\*R3  
 N.W: 16KG G.W: 17KG







**TS-B549**

Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.05kg/0.1lb  
 LCD display size: 60x24mm  
 Color Box: 322x315x38mm  
 Power: 2xAAA batteries  
 Unit: KG/LB/ST  
 Dimension: 280x280x25mm\*R10  
 N.W: 13KG G.W: 14KG

**TS-B8031**

Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.1kg/0.2lb  
 LCD display size: 73x28.5mm  
 Color Box: 322x315x38mm  
 Power: 2xAAA batteries  
 Unit: KG/LB/ST  
 Dimension: 280x280x25mm\*R3  
 N.W: 16KG G.W: 17KG

- ✓ GERMAN    ✓ ENGLISH    ✓ BULGARIA
- ✓ TURKISH   ✓ PERSIAN    ✓ POLISH
- ✓ RUSSIAN   ✓ SPANISH    ✓ FRENCH

**CUSTOM VOICE**



**TS-B8003**

Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.05kg/0.1lb  
 LCD display size: 73x28.5mm  
 Color Box: 322x315x38mm  
 Power: 2xAAA batteries  
 Unit: KG/LB/ST  
 Dimension: 280x280x25mm\*R3  
 N.W: 16KG G.W: 17KG



**TS-2003A**

Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.1kg/0.2lb  
 LCD display size: 64\*30.5mm  
 Color Box: 333x336x37mm  
 Power: 2xAAA batteries/ 1xCR2032 battery  
 Unit : KG/LB  
 Dimension: 330x330x25mm  
 N.W: 15KG G.W: 16.5KG



**TS-2003B**

Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.1kg/0.2lb  
 LCD display size: 64\*30.5mm  
 Color Box: 333x336x37mm  
 Power: 2xAAA batteries/ 1xCR2032 battery  
 Unit: KG/LB  
 Dimension: 330x330x25mm  
 N.W: 15KG G.W: 16.5KG



**TS-2004**

Capacity: 3-180kg  
 Division: 100g  
 Product Size: 300\*300\*20mm\*R3  
 Glass thickness: 6mm  
 Unit: KG/LB/ST  
 Product Net Weight: 1.5kg  
 Power: 3V 2\*CR2032  
 LCD Display: 34\*71mm



**TS-2005D**

Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.1kg/0.2lb  
 LCD display size: 64\*30.5mm  
 Color Box: 333x336x37mm  
 Power: 2xAAA batteries/ 1xCR2032 battery  
 Unit: KG/LB  
 Dimension: 330x330x25mmxR3  
 N.W: 15KG G.W: 16.5KG

**TS-B1326**

Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.1kg/0.2lb  
 LCD display size: 73x28.5mm  
 Color Box: 322x315x38mm  
 Power: 2xAAA batteries  
 Unit: KG/LB/ST  
 Dimension: 280x280x25mm\*R10  
 N.W: 9KG G.W: 10KG



**TS-B1325**

Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.1kg/0.2lb  
 LCD display size: 73x28.5mm  
 Color Box: 570x380x38mm  
 Power: 1xCR2032 battery  
 Unit: KG/LB/ST  
 Dimension: 300x300x25mm  
 N.W: 9KG G.W: 10KG



**TS-B1327**

Capacity: 3-180kg / 6.6-396lbs  
 Division: 0.1kg/0.2lb  
 LCD display size: 73x28.5mm  
 Color Box: 320x20x290cmmm  
 Power: 1xCR2032 batteries  
 Unit: KG/LB  
 Dimension: 280x310x25mm\*R10  
 N.W: 10KG G.W: 11KG





**TSEC**  
since 1976

## ELECTRONIC KITCHEN SCALE

Focusing on life and health, focusing on the nutrition of food is an important way, our kitchen scales can do the basic analysis of the nutrient content of food and promote you to develop good eating habits.

Our kitchen scales determine the mass by electronic sensing or by spring expansion. In comparison, electronic sensing is more accurate than spring metering.



## Electronic Kitchen Scale



Waterproof:stainless steel surface  
Matel color can customize with Bluetooth  
Can check more nutrition of food on app

### TS-EK16

Capacity: 3-5000g  
Division: 1g  
Unit: g/ oz/ ml/ lb:oz  
Power: 3V 2\*AAA battery  
Product size:180\*140\*16.7mm  
Display:LCD with backlight  
Master carton size:420\*335\*357mm  
Package:40pcs/carton  
N.W: 11.9KG G.W: 12.9KG



## Electronic Kitchen Scale



### TS-EK20

Capacity: 3-5000g  
 Division: 1g  
 Unit: g/ ml/ lb;oz/ fl;oz  
 Power: 3V 2\*AAA battery  
 Product size: 145\*195\*21mm  
 Display: LCD,backlight with white words  
 Master carton size: 445\*335\*345mm  
 Package: 40pcs/carton  
 N.W: 20KG G.W: 21KG



## Electronic Kitchen Scale

TALKING FUNCTION

MULTI LANGUAGES

STAINLESS STEEL PLATFORM



### TS-EK28

Capacity: 5000g  
 Division: 1g  
 Unit: (g/ oz/ ml/ lb'oz)  
 Power: 2\*AAA battery  
 product size: 161\*213\*35mm  
 Master carton size: 445\*335\*345mm  
 Package: 40pcs/carton  
 N.W: 20KG G.W: 21KG

## Electronic Kitchen Scale

### TS-K542A

Capacity: 10kg  
 Division: 1g  
 Unit: g/ lb/ oz  
 Power: 1.5v×2AAA Battery  
 product size: 225\*165\*20mm  
 Master carton size: 505\*305\*370mm  
 Package: 20pcs/carton  
 N.W: 14KG G.W: 19KG



### TS-K8040

Capacity: 15kg  
 Division: 1g  
 Unit: g/ oz/ ml/ lb/ kg  
 Power: 1.5v×2AAA Battery  
 product size: 200\*200\*21mm  
 Master carton size: 350\*245\*470mm  
 Package: 20pcs/carton  
 N.W: 12KG G.W: 14KG



## Electronic Kitchen Scale

### TS-K567

Product size: 150\*200\*29mm  
 Unit: g/oz/lb/ml  
 Capacity: 1kg-6kg\*0.1g  
 Matrial: ABS plastic, High precision sensors system  
 battery: 1.5V\*2 AAA



TS-K568

### TS-K542B

Capacity: 5000g  
 Division: 1g  
 Product Size: 225\*165\*20mm  
 Unit: g/lb/oz  
 Power: 2\*AAA battery  
 Master carton size: 490\*330\*360mm  
 Package: 40pcs/carton  
 N.W: 16KG G.W: 17KG

Stainless steel surface

Backlight

High precision strain gauge sensors system





## Electronic Kitchen Scale

### TS-EK42

Capacity: 5-5000g  
 LCD size: 18\*47mm  
 Division: 1g  
 Product Size: 19\*2cm  
 Unit: G/LB/OZ  
 Product Net Weight: 0.4kg  
 Power: 3V (CR2032)  
 Boot up weight: The key switch on



### TS-K559S

LCD size: 19\*44mm  
 Size: 200\*150\*16mm  
 Glass thickness 3mm  
 Measuring range 5kg  
 Division: 1g  
 Unit: g/kg/lb: oz/ml/fl: oz  
 Power: 1\*CR2032 3V  
 Product features: touch

STAINLESS STEEL



## Electronic Kitchen Scale

### TS-K39

Capacity: 10KG/1G,7KG/1G,5KG/0.5G,3K/0.1G  
 Unit: g/oz  
 Function: Tare/calibrate, 120 seconds auto shut-off  
 Display: LCD, black letters on white background 4.8\*2cm  
 Power supply: 2\*AAA dry batteries  
 Color box size: 15\*4\*22cm  
 Product size: 20\*15\*3.5cm



### TS-K40

Unit: g/ oz/ lb/ tl.  
 Function: tare/calibrate machine  
 Auto-off: 120 seconds  
 Display: LCD, white backlight  
 Power supply: 2XAAA battery  
 Product size: 210\*175MM  
 Product weight: 486g  
 Capacity: 5kg/1g 10KG/1gPacking  
 Outer box size: 54\*49\*41CM  
 N.W: 19.5kg G.W: 21kg





**TS-K559**

Capacity: 5kg  
 Division: 1g  
 Unit: g/kg/lb/oz/ml/fl.oz  
 LCD without backlight  
 Power: 1\*CR2032 3V  
 Size: 200\*150\*16mm  
 Master carton size: 400\*350\*300mm  
 Package: 40pcs/carton  
 N.W: 20KG G.W: 21KG

TOUCH BUTTON



**TS-EK24**

Capacity: 5000g  
 Division: 1g  
 Unit: G/LB OZ/KG  
 Power: 2\*AAA battery  
 Product size: 230\*160\*20mm  
 Master carton size: 490\*320\*350mm  
 Package: 40pcs/carton  
 N.W: 15KG G.W: 16KG



**TS-EK25**

Capacity: 5000g  
 Division: 1g  
 Unit: g/ Lb:oz/ ml/ fl.oz  
 Power: 2\*AAA battery  
 Product Size: 200\*200\*20mm  
 Master carton size: 430\*290\*435mm  
 Package: 40pcs/carton  
 N.W: 11KG G.W: 12KG



**TS-EK340**

Capacity: 5g-5000g  
 Division: 1g  
 Material: Bamboo+ABS  
 Unit: g/lb: oz/oz/ml  
 LCD display: 42\*19mm  
 Product size: 200\*165\*21mm  
 Bamboo size: 200\*130\*5mm  
 Master carton size: 475\*370\*235mm  
 Package: 30pcs/carton  
 N.W: 6.2KG G.W: 9.2KG



## Electronic Kitchen Scale



### TS-EK01

Capacity: 5000g/11lb  
 Graduation: d=1g  
 Unit: g/ lb/ oz  
 Power: 2x AAA battery  
 Product size: 215X162X57mm  
 Master carton size: 620\*419\*410mm  
 Package: 24pcs/carton  
 N.W: 11KG G.W: 12KG

## Electronic Kitchen Scale

HOT



### TS-EK03

Capacity: 10KG  
 Division: d=1g  
 Unit: g/ oz  
 ABS Plastic platform: 230\*160\*39mm pan: 148mm  
 Power: 2x AA battery  
 Master carton size: 480\*420\*365mm  
 Package: 40pcs/carton  
 N.W: 11KG G.W: 12KG



### TS-EK33

Capacity: 3/5/7kg  
 Division: 1g/0.1g(3kg)  
 Unit: g/ oz/ lb/ tl  
 Product size: 135\*95mm  
 Power: 2\*AAA battery  
 Master carton size: 580\*440\*350mm  
 Package: 40pcs/carton  
 N.W: 14.5KG G.W: 16.5KG



### TS-K550

Display size: 16.5\*40mm  
 Capacity: 5kg/11lb  
 Division: 1g  
 Unit: g/ lb/ oz  
 Product platform: 185\*165\*35mm  
 Power: 2\*AAA battery/USB  
 Master carton size: 520\*410\*200mm  
 Package: 24pcs  
 N.W: 20KG G.W: 21KG





## Electronic Kitchen Scale



### TS-EK30

Capacity: 3000g/5000g  
 Division: 0.1g  
 Unit: g/ oz/ ml/ lb:oz  
 Product size: 195\*125\*25mm  
 Power: 2x AAA battery  
 Master carton size: 540\*315\*248mm  
 Package: 20pcs  
 N.W.: 9kg G.W.: 10kg



### TS-EK32

Capacity: 3000g  
 Division: 0.1g  
 Unit: g/ oz/ ml  
 Power: 3\*AAA battery  
 Color box size: 230\*152\*52mm  
 Carton size: 442\*420\*338mm  
 Qty/ctn: 20pcs  
 N.W.: 9kg G.W.: 10kg



## Electronic Kitchen Scale

### TS-EK12

Capacity: 500g  
 Division: 0.1g  
 Unit: g/ oz/ ct/ gn  
 Power: 1\*CR2032 battery  
 Product size: 230\*50\*23mm  
 Package: 100pcs  
 Master carton size: 52\*30\*44.5cm  
 N.W.: 8.2kg G.W.: 9.2kg



### TS-EK14

Capacity: 800g/800ml/3.4 cups/28oz  
 Division: 1g  
 Unit conversion: g/ ml/ oz/ fl'oz  
 Battery: 1\*CR2032 battery  
 Product size: 241\*92\*54mm  
 Package: 60pcs  
 Master carton size: 65.5\*30.5\*46.5cm  
 N.W.: 10.8kg G.W.: 11.5kg



### Shopping check



### TS-EK34

Capacity: 5000g  
 Division: 1g  
 Unit: g/ kg/ lb/ oz/ ml  
 Battery: 2\*AAA battery  
 Product size: 215\*145mm  
 Package: 12pcs  
 Master carton size: 650x230x440mm  
 N.W.: 7.9kg G.W.: 9.5kg



### TS-K563

Capacity: 5000g  
 Division: 1g  
 Unit: g/oz  
 Product Size: 150\*150\*20mm  
 Power: 3V 2\*AAA  
 Material: ABS plastic





**TSEC**  
since 1976

## JEWELRY SCALE / POCKET SCALE

The jewelry scales have a new generation of high precision sensors that measure accurately to 0.01g. They are able to meet the needs of small items and are compact enough to fit in your pocket when not in use. It is very convenient to use.



## Jewelry Scale



### TS-C02

Capacity: 200g/0.01g 500g/ 0.1g  
Unit: g/ zo/ ozt/ dwt/ gn/ ct  
Scale body size: 128\*77\*19.2mm  
Stainless Steel Pan: 75\*65 mm  
Power: 2 XAAA batteries  
Package: 100pcs/carton  
Master Carton Size: 420\*190\*660 没m  
N.W: 15KG G.W: 14KG



HIGHER ACCURACY



**TS-C06**

Capacity: 200g/0.01g 500g / 0.01g 500G/0.1g  
 Unit: g/oz/gn/ct/ozt  
 Power: 2xAAA Batteries  
 With Back Light  
 Packing: 100 pcs/CTN  
 Master carton size: 365\*250\*310mm  
 G.W:12.2kg N.W:10.5kg



**TS-B04**

Jewelry Scale and Kitchen Scale

2 IN 1

Capacity: 200g/0.01g 500g/0.01g 2000g/0.1g 3000g/0.1g  
 Unit: g/ oz/ ozt/ dwt/ gn/ ct  
 Scale body size: 127\*106\*19 mm  
 Large brushed stainless steel pan: 100\*100mm  
 Large screen display: 42\*14mm  
 Power: 2 XAAA batteries  
 Packing: 50 pcs/CTN  
 Master carton size: 735\*365\*195mm  
 G.W: 15.5 kg N.W: 14 kg







**TS-C03**

Capacity/division: 100g/0.01g,200g/0.01g,500g/0.1g  
 Weight: 104g  
 Scale body size: 116\*64\*19mm  
 Stainless Tray Size: 54\*62mm  
 Units: ct/ dwt/ ozt/ g/ oz/ gn  
 Display: LCD with backlight  
 Power: 2 XAAA batteries  
 Packing: 100PCS  
 Carton size:370\*310\*270mm  
 G.W: 14kg N.W: 13kg



**TS-C04**

Tare function  
 Auto calibration  
 200g/0.01g 500g/0.1g  
 Size For Pan:40X31mm  
 Unit: g/gn/dwt/oz/ozt/tl/ct  
 Power: 1XCR2032 Lithium Battery  
 Dimension: 70X36X20mm

**MINI SCALE**

# TSEC

since 1976

Gratitude Innovation

Zhejiang Tiansheng Electronic Co., Ltd.

**PROFESSIONAL ELECTRONIC SCALE MANUFACTURER**





## BABY SCALE

Personalized design, the baby can lie flat can sit and stand up to weigh. Suitable for different age groups of baby measurement.

Removable tray for baby and adult to achieve multi-function.

Abs environment-friendly plastic+tempered glass.

Bluetooth function, Baby weight data can be retained permanently.



### TS-YE8006

Capacity:500g-100kg  
 LCD size:100\*39mm  
 Division: 10g  
 Product Size: 520\*380\*75mm  
 Glass size: 320\*275\*6mm  
 Unit: KG/LB/ST  
 Product Net Weight: 2kg  
 Power: 6V 4\*AAA  
 Display: blue background,white word  
 Low battery (LO) and overload indication (Err)  
 Boot up weight: 5kg





NEW



**TS-Y526**

Capacity: 500g-100kg  
 LCD size: 73\*30mm  
 Division: 10g  
 Product Size: 530\*270\*50mm  
 Glass size: 300\*300\*5mm  
 Unit: KG/LB  
 Product Net Weight: 2kg  
 Power: 3V 2\*CR2032  
 Display: balck background,white word  
 Low battery (LO) and overload indication (Err)  
 Boot up weight: 5kg



**TS-YE8010**

Range and accuracy: 100KG-10G  
 Use 2xAA battery  
 Single color box size: 36.8\*12\*31.5cm  
 Single weight: 2070g



**TS-YE8005**

Material: Plastic  
 Display: LCD without backlight  
 Display size: 58\*24mm  
 Capacity: 20kg d=10g  
 Unit: kg/lb/st  
 Power supply: 2\*1.5vAAA battery  
 Product size: 54\*32\*3.8cm  
 Product net weight: 0.856kg  
 Color box size: 56\*4.5\*33.8cm  
 Carton size: 56.5\*26\*35.5cm  
 G.W: 9.2kg N.W: 8.5kg  
 Packing quantity: 5pcs/carton



**TS-YE8011**

Capacity: 20kg-10g  
 Dimension: 55x33x4cm  
 Use 4xAA Batteries (Not Included)  
 Very thin design  
 Packing Volume: 57.1x25.3x35.4cm  
 N.W: 8.15kg G.W: 10.8kg  
 2650pcs In One 20 Feet Container



**TSEC**  
since 1976

## LUGGAGE SCALE

For friends who travel frequently, portable scales are a must. No matter what class you carry, if your luggage exceeds the weight of the corresponding class, it means you need to pay for it separately.



## Luggage Scale

NEW



STAINLESS STEEL SURFACE



### TS-S013

Range indexing value: 50KG/ 10G  
Unit: kg/ lb/ oz  
Accuracy: 10g  
Power: 1\* CR2032 (3V)  
Product size: 152\*31\*55(mm)  
Color box size: 176\*44\*90(mm)





**TS-S019**

Capacity: 50kg/10g  
 Unit: kg/ lb/ oz  
 Precision: 10g  
 Power: 2\*AAA(1.5V)  
 Product Size: 123\*82\*28 (mm)  
 Box Size: 145\*145\*39 (mm)



**TS-S011**

Capacity: 50kg/10g ,40kg/10g 20kg/5g  
 Unit: kg/ lb/ oz  
 Precision: 10g/5g  
 Power: 2\*AAA(1.5V)  
 Product Size: 103\*58\*24(mm)  
 Gift Box Size: 170\*100\*30(mm)



**TS-S010**

Capacity: 40kg/10g  
 Unit: kg, lb  
 Precision: 10g  
 Power: 1\*CR2032 (3V)  
 Product Size: 110\*40\*23(mm)  
 Gift Box Size: 103\*48\*38(mm)



**TS-S043**

Capacity: 50kg/10g  
 Unit: g/ kg/ lb/ oz  
 division: 10g  
 Power: 1\*CR2032(3v)  
 Product size: 130\*48\*31(mm)  
 Carton size: 560\*340\*420(mm)



**TS-H1301**

Capacity: 10g-50kg  
 Division: 10g/100g  
 Product Size: T Shape  
 Unit: kg/ lb  
 Product Net Weight: 0.65kg  
 Power: 3V (CR2032)



**TS-H1308**

Capacity: 50kg/10g  
 Unit: kg/ lb/ oz/ °C  
 Precision: 10g  
 Power: 1\* CR2032 (3V)  
 Product Size: 130\*30\*28(mm)  
 Gift Box Size: 155\*105\*40(mm)





**TS-S058**

Capacity: 40kg/10g 20kg/5g  
 Unit:g/ kg/ lb/ oz  
 Precision: 10g/5g  
 Power: 2\*AAA(1.5V)  
 Product Size: 140\*30\*30(mm)  
 Box Size: 170\*100\*30(mm)



**TS-H1305**

Capacity: 40kg/10g 20kg/5g  
 Unit: g/ kg/ lb/ oz  
 Precision: 10g/ 5g  
 Power: 2\*AAA(1.5V)  
 Product Size: 140\*30\*30(mm)  
 Gift Box Size: 170\*100\*30(mm)



**TS-S047**

Weighing unit: kg/ lb/ oz  
 Display: LCD display  
 Power supply: 2 x AAA batteries  
 Product size: 100\*57\*23(mm)  
 N.W: 135g G.W: 175g



**TS-H1311**

Unit: kg/ lb/ oz  
 Display: LCD display  
 Power: 2\*AAA bateries  
 Product size: 115\*70\*25mm  
 N.W: 75g G.W: 111g  
 Color box size: 147\*100\*303(mm)



**TS-H1307**

Capacity: 40kg/10g 20kg/5g  
 Unit: kg/ lb/ oz  
 Precision: 10g/5g  
 Power: 2\*AAA(1.5V)  
 Product Size: 115\*71\*24(mm)  
 Gift Box Size: 170\*100\*30(mm)

